



MODULAR ELEVATOR MANUFACTURING, INC.



MEM
MODULAR
ELEVATOR
MANUFACTURING



Elevators are built to exacting specifications using jigs and lasers.

Elevators are then loaded on flatbed trucks for delivery to job site.



Modular Elevators are hoisted into place via crane, set into pit and bolted into place.





MEM's modular elevator system greatly minimizes design and engineering costs. Priced below conventional elevator systems, they install in one day.

Features:

- Built using non-proprietary, high-quality components
- State of the art digital controls
- Fully equipped steel cab
- Pre-assembled elevator towers constructed from welded tubular steel
- Powered by hydraulic holeless, in-ground jacks, or machine room-less technology




HYDRAULIC ELEVATORS

Mullin Automotive Museum, Oxnard California



Modular Elevator Manufacturing, Inc.'s modular hydraulic elevators are available with in-ground or holeless jacks, and come in various configurations to meet your vertical transportation needs.

See drawing for available capacities and configurations




HYDRAULIC
Direct Plunger or Holeless


CAPACITY	COMPLIANCE	HW	Clear Pit		Inside Hoistway		Outside Platform		Inside Cab		Door	
			WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	TYPE
			A	B	C	D	E	F	G	H	DO	
2000R	ADA	HW-1	8'-5 3/4"	7'-10"	7'-5"	6'-9 1/4"	5'-10 1/2"	5'-8 3/4"	5'-8"	4'-4 1/4"	3'-0"	SSSO
2500	ADA	HW-1	8'-5"	7'-10"	7'-5"	6'-9 1/4"	5'-10 1/2"	5'-8 3/4"	5'-8"	4'-11 1/4"	3'-0"	SSSO
2500R	ADA	HW-2	9'-5"	7'-10"	8'-5"	6'-9 1/4"	6'-10 1/2"	5'-8 3/4"	6'-8"	4'-11 1/4"	3'-6"	SSSO
3000	ADA	HW-2	9'-5"	7'-10"	8'-5"	6'-9 1/4"	6'-10 1/2"	5'-8 3/4"	6'-8"	4'-11 1/4"	3'-6"	SSSO
3000GR	GURNEY	HW-3	10'-1 3/4"	7'-10"	9'-1"	6'-9 1/4"	7'-6 1/2"	5'-8 3/4"	6'-8"	4'-4 1/4"	3'-6"	SSSO
3500G	GURNEY	HW-3	10'-1 3/4"	7'-10"	9'-1"	6'-9 1/4"	6'-10 1/2"	6'-0"	7'-3"	5'-3"	3'-6"	SSSO
3500GW	GURNEY	HW-3	10'-1 3/4"	7'-10"	9'-1"	6'-9 1/4"	7'-6 1/2"	6'-0"	7'-3"	5'-3"	3'-6"	SSSO
4000R	GURNEY	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-6 1/2"	6'-2"	7'-3"	4'-9"	4'-0"	SSSO



MODULAR MACHINE ROOM-LESS ELEVATORS



Modular Elevator Manufacturing, Inc.'s Modular Machine Room-Less Elevator (MMRL™) eliminates the need for a separate equipment room and saves significant energy over other designs. The Modular MRL Elevator comes complete; installed in our Modular Hoistway. This minimizes on-site installation time and impact on your construction schedule.



CAPACITY	COMPLIANCE	HW	Clear Pit		Inside Hoistway		Outside Platform		Inside Cab		Door	
			WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	TYPE
			A	B	C	D	E	F	G	H	DO	
2000R	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	6'-0"	6'-1 1/4"	5'-8"	4'-3"	3'-0"	SSSO
2500	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	6'-0"	6'-1 1/4"	6'-8"	4'-3"	3'-0"	SSSO
2500R	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-0"	6'-1 1/4"	6'-8"	4'-3"	3'-6"	SSSO
3000	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-0"	6'-1 1/4"	6'-8"	4'-9"	3'-6"	SSSO
3500	GURNEY	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-0"	6'-1 1/4"	6'-8"	5'-5"	3'-6"	SSSO

CAPACITY	COMPLIANCE	HW	Clear Pit		Inside Hoistway		Outside Platform		Inside Cab		Door	
			WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	TYPE
			A	B	C	D	E	F	G	H	DO	
2500	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	6'-0"	6'-1 1/4"	6'-8"	4'-3"	3'-0"	SSSO
3000	ADA	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-0"	6'-1 1/4"	6'-8"	4'-9"	3'-6"	SSSO
3500	GURNEY	HW-4	10'-1 3/4"	7'-10"	9'-1"	7'-2"	7'-4"	6'-1 1/4"	7'-6"	5'-5"	3'-6"	SSSO



MODULAR ADVANTAGES

TIME

A modular elevator can be designed, manufactured, and installed in as few as 14 weeks. Complete on-site installation in as little as 3-4 days.

QUALITY

All MEM products use non-proprietary elevator industry standard components. Any qualified elevator company can maintain and repair MEM elevators.

VALUE

Standardization of design & product, along with factory production control, results in increased productivity and a reduction of wasted materials. The end result is significant financial savings.

SITE OPTIONS

- Installation Package
- Custom Hoistway Height
- California DSA PC Approval
- Hoistway Weather Resistance
- Standby Mechanic



Multi-Section Open Framed Hoistway with Glass Cab

ELEVATOR/HOISTWAY OPTIONS

- In-Ground Jack
- Telescopic Holeless Jack
- Equipment Room B/O Deduct
- Landing Bridges
- Landing Canopies
- Landing Thresholds
- Reverse Entrances
- Stainless Steel Components
- Tower Brackets
- Up to 5 Stops/Openings
- Open Framing (for glass)
- Glass Cab
- Gurney-Compliant
- Group Configurations
- Multi-Section Hoistway
- Seismic Rated

MODULAR ELEVATOR APPLICATIONS

Schools



Classrooms



Stadiums

Public Buildings



Pedestrian Bridges



Convention Centers

Shopping Malls



Indoor



Outdoor

Transportation



Light Rail Stations



Parking Structures

Specialty



Cruise Ship Terminals



Custom Applications

Medical Buildings



Medical Offices



Hospitals



P.O. Box 3998 Chatsworth, CA 91313

Tel: 818-792-4554 Fax: 818-509-8596

www.modularelevator.net

M=EM
MODULAR
ELEVATOR
MANUFACTURING